MATERIAL SAFETY DATA SHEET



	1. Product and Company Identification				
Product number	122-001P				
Product name	Spicy Cinnamon Metered Air Freshener				
Effective date	04-Jun-2010				
Company information	Claire Manufacturing Co. 500 Vista Ave. Addison, IL 60101 United States				
Company phone	General Assistance 630-543-7600				
Emergency telephone US	800-424-9300				
Emergency telephone outside US	703-527-3887				
Version #	03				
Supersedes date12-Nov-2007					
	2. Hazards Identification				
Emergency overview	Flammable. Aerosol. CONTENTS UNDER PRESSURE. Will be easily ignited by heat, spark or flames. Harmful in contact with eyes.				
Potential health effects					
Eyes	Contact may irritate or burn eyes. Health injuries are not known or expected under normal use.				
Skin	Health injuries are not known or expected under normal use.				
Inhalation	Intentional misuse by concentrating and inhaling the product can be harmful or fatal.				
Ingestion	Exposure by ingestion of an aerosol is unlikely.				
Target organs	Central nervous system.				
Chronic effects	May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage.				
Signs and symptoms	Narcosis.				

3. Composition / Information on Ingredients

Components	CAS #	Percent
Acetone	67-64-1	60 - 70
Propane	74-98-6	10 - 15
n-Butane	106-97-8	10 - 15
Non-hazardous and other components below reportable levels		2.5 - 10

4. First Aid Measures				
al attention				
Get				
ns persist.				
r. Do not				
sewer may				
•				

Protection of firefighters Protective equipment and precautions for firefighters	In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up.			
	6. A	ccidental Release	Measures	
Methods for containment	Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk.			
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.			
		ills: Wipe up with absorl ly to remove residual co	pent material (e.g. cloth, fle ntamination.	ece). Clean surface
		7. Handling and S	torage	
Handling Storage	or until s exhaust empty co Contents containe flame, he in cool pl	prayed surface is thorou ventilation. Do not use if ontainers. Avoid prolong under pressure. Do not rs can increase under th eat or other sources of ig ace. Keep in an area equi	ghly dry. Use only in area p spray button is missing or ed exposure. puncture, incinerate or cru e influence of heat. Do not	defective. Do not re-use sh. The pressure in sealed handle or store near an ope ong periods of sunlight. Store op out of the reach of
	8. Exposi	ure Controls / Pers	onal Protection	
Exposure limits				
ACGIH				
Components	CAS #	TWA	STEL	Ceiling
Acetone	67-64-1	500 ppm	750 ppm	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
n-Butane	106-97-8	1000 ppm	Not established	Not established
OSHA				

CAS #	TWA	STEL	Ceiling	
67-64-1	1000 ppm	Not established	Not established	-
74-98-6	1000 ppm	Not established	Not established	
	67-64-1	67-64-1 1000 ppm	67-64-1 1000 ppm Not established	67-64-11000 ppmNot establishedNot established

Personal protective equipment

Eye / face protection	Do not get in eyes. Wear safety glasses with side shields (or goggles).
Skin protection	Not normally needed.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

9. Physical & Chemical Properties

A	Compressed liquefied ass
Appearance	Compressed liquefied gas.
Boiling point	82.4 °F (27.8 °C) estimated
Color	Clear.
Flammability (HOC)	32.5576 kJ/g estimated
Flash back	No
Flash point	-156 °F (-104.4 °C) Propellant
Form	Aerosol.
Odor	Cinnamon.
рН	Not applicable
Physical state	Liquid.
Pressure	45 - 65 psig @ 70F

Solubility	Partially			
Specific gravity	0.7138 estimated			
10.	Chemical Stability & Reactivity Information			
Chemical stability	Stable at normal conditions. Risk of ignition.			
Conditions to avoid Heat, flames and sparks.				
Incompatible materials	Strong oxidizing agents.			
Hazardous decomposition products	May include oxides of carbon.			
	11. Toxicological Information			
Acute effects	Acute LD50: 28711 mg/kg estimated, Rat, Dermal Acute LC50: 105 mg/l/4h estimated, Rat, Inhalation			
Component analysis - LD50				
Toxicology Data - Selected LD50s ar				
n-Butane 106	64-1 Oral LD50 Rat 5800 mg/kg 6-97-8 Inhalation LC50 Rat 658 mg/L 4 h 98-6 Inhalation LC50 Rat 658 mg/L 4 h			
Sensitization	Not expected to be hazardous by OSHA criteria.			
Teratogenicity	Not expected to be hazardous by OSHA criteria.			
	12. Ecological Information			
Eastaviaity	_			
Ecotoxicity	LC50 7930 mg/L, Fish, 96.00 Hours, EC50 19316 mg/L, Daphnia, 48.00 Hours, Components of this product have been identified as having potential environmental concerns.			
	13. Disposal Considerations			
Waste codes	D001: Waste Flammable material with a flash point <140 F			
Disposal instructions				
	14. Transport Information			
Department of Transportation (DOT)	Requirements			
Basic shipping requirements:				
Proper shipping name	Consumer commodity			
Hazard class	ORM-D			
Subsidiary hazard class	None			
Additional information:				
Packaging exceptions	156, 306			
Packaging non bulk	156, 306			
Packaging bulk	None			
IMDG				
Basic shipping requirements:				
Proper shipping name	AEROSOLS			
Hazard class	2.1			
UN number	1950			
Additional information:				
Packaging exceptions	LTD QTY			
Item	5F 2			
Labels required	None			
Transport Category	2			

ΙΑΤΑ

Basic shipping requirements:	
Proper shipping name	Aerosols, flammable
Hazard class	2.1
UN number	1950
Additional information:	
Packaging exceptions	LTD QTY
Labels required	2.1



		15. Regulatory Information			
US federal regulations		This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.			
Occupational Safety and Health	Administratio	on (OSHA)			
29 CFR 1910.1200 hazardous chemical	s Yes				
CERCLA (Superfund) reportable	quantity				
Acetone: 5000.0000					
Superfund Amendments and Re	authorization	Act of 1986 (SARA)			
Section 302 extremely hazardous substance	No				
Section 311 hazardous chen	nical Yes				
Hazard categories (311/312)	Delayed Fire Haz Pressure	ate Hazard - Yes I Hazard - No zard - Yes e Hazard - Yes ty Hazard - No			
Inventory status					
Country(s) or region	Inventory na	ame	On inventory (yes/no)*		
China	Inventory of	Existing Chemical Substances in China (IECSC)	No		
Europe	European In	ventory of New and Existing Chemicals (EINECS)	No		
Europe	European Lis	uropean List of Notified Chemical Substances (ELINCS) No			
Japan	Inventory of	ventory of Existing and New Chemical Substances (ENCS) No			
Korea	Existing Che	Chemicals List (ECL) No			
United States & Puerto Rico	Toxic Substa	Toxic Substances Control Act (TSCA) Inventory Yes			
A "Yes" indicates that all compone	ents of this prod	uct comply with the inventory requirements administered by	the governing country(s)		
State regulations					
U.S Pennsylvania - RTK (Righ	t to Know) List	1			
Acetone n-Butane Propane	67-64-1 106-97-8 74-98-6	Environmental hazard Present Present			
		16. Other Information			
Further information	HMIS®	is a registered trade and service mark of the NPCA.			
HMIS® ratings	Health: Flamma Physica				
Disclaimer	knowled designe disposal informat material in the te experier	rmation provided in this Safety Data Sheet is correct lge, information and belief at the date of its publicatio d only as a guidance for safe handling, use, processi l and release and is not to be considered a warranty ion relates only to the specific material designated an used in combination with any other materials or in an xt. The information in the sheet was written based or nee currently available.	n. The information given is ng, storage, transportation, or quality specification. The nd may not be valid for such ny process, unless specified the best knowledge and		
MSDS sections updated This document has undergone significant changes and should be reviewed in its entire					
Prepared by	Regulate	ory Compliance			